

# Spyderco®



# 2011

KNIVES & ACCESSORIES

## PRODUCT UPDATE



820 SPYDERCO WAY • GOLDEN, CO 80403 • U.S.A.

TOLL FREE: 800-525-7770 • LOCAL: 303-279-8383 • FAX: 303-278-2229

[WWW.SPYDERCO.COM](http://WWW.SPYDERCO.COM)



foursquare

YouTube

## LSSPT LADYBUG3 TATOO

Ladybugs are small, cut like the devil and quickly earn a place in your pocket as an indispensable everyday carry tool. The Ladybug Tattoo's stainless steel handle is etched with a multi-color scene of a red ladybug among colorful grasses. The Japanese VG-10 stainless blade is hollow-ground with textured jimping at the spine. The blade pivot, the Spyderco Round Hole and the mid-spine back-lock work in conjunction to ensure locking/unlocking and opening/closing the blade is easy and ergonomic.

## C141P BALANCE SS

Balance is defined as a state of equilibrium or equal distribution. It's also an ergonomic Schempp folder with a VG-10 blade, ground full-flat, that arcs upward in a radical curve with a deep finger choil. With the index finger in the choil, the cutting edge is aligned with the forearm moving the blade's weight back and the center of gravity forward toward the cutting edge where it responds like a natural extension of the hand. The enlarged Spyderco Round Hole positions the thumb correctly for flowing one-hand operation. Reeve Integral Lock (R.I.L.)

## MGGYP MANBUG

Men and women are different. Spyderco's Manbug, compared with the classic Ladybug, contrast these gender related differences. Manbugs are thicker, more muscular and bulky than the thinner, lighter Ladybug. Their flat-ground VG-10 blades are equal in length to the Ladybug but wider with a robust modified clip-point. Fabricated with pinned dove-gray G-10 scales, the handle has stainless bolsters and a mid-spine positioned back-lock with a David Boye Dent. Alignment of the Spyderco Round Hole, relative to the pivot and to the back-lock adds fluidity and ease to the action of opening/closing the blade.

TIP CARRY POSITION: CLIPLESS  
COUNTRY OF ORIGIN: JAPAN 🇯🇵  
LANYARD HOLE: ✓

**LADYBUG3 TATOO**  
LSSPT3 LADYBUG SS  
TATOO

**BALANCE**  
C141P BALANCE

TIP CARRY POSITION: CLIPLESS  
COUNTRY OF ORIGIN: JAPAN 🇯🇵  
LANYARD HOLE: ✓

**MANBUG**  
MGGYP MANBUG

SKU	CLOSED	OVERALL	BLADE	EDGE	STEEL	WEIGHT
LSSPT	2 7/16" 62MM	4 3/8" 111MM	1 15/16" 49MM	1 11/16" 43MM	VG-10	1.2 OZ 34G
C141P	2 11/16" 68MM	4 7/16" 113MM	1 15/16" 49MM	1 1/4" 32MM	VG-10	1.1 OZ 32G
MGGYP	2 1/2" 64MM	4 3/8" 111MM	1 7/8" 48MM	1 11/16" 43MM	VG-10	1.5 OZ 42G

## C130GP CHICAGO

Laws. Whether they are necessary, whether they're good, or even if they seem nutty, they're intended to establish order and ward-off chaos.

Cities everywhere (including Chicago) have instituted pocketknife laws limiting the length of a blade, carried into a federal building, to two-inches or under. This restriction provides Spyderco the impetus to develop a two inch flat ground 440C blade, urbanely outfitted with black G-10 handle scales and a Michael Walker LinerLock®.

The handle is sized for every-day carry with full-length skeletonized liners. The leaf-shaped blade excels at both significant strenuous cutting and refined lightweight chores.

## C154PBK SQUEAK

Produced in Maniago, Italy, the Squeak SLIPIT is a non-locking, one-hand open, clip carry folder. The blade is held open by a notched-joint at the pivot that generates resistance to closing functionally similar to a traditional slip-joint penknife. A deep finger choil jogs the index finger into position behind the blade where it becomes an impediment to accidentally closing the blade while providing a grip-position close to the cutting edge for superior dexterity. The flat-ground blade is Bohler-Uddeholm's N690Co steel.

The handle is black textured FRN (fiberglass reinforced nylon).

## C129GP CAT

The Spyderco Cat has a hair-popping leaf-shaped 440C flat-ground blade and polished, sophisticated appearance. It combines cat-claw sharpness with a G-10 handle and Michael Walker LinerLock®. Ergonomically shaped and sized, the handle houses full-length skeletonized liners for strength without additional weight and features a deep silhouette wire clip which burrows the knife down deeply in a pant's pocket tip-up for right- or left-hand use.

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: TAIWAN 🇹🇼  
LANYARD HOLE: ✓

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: TAIWAN 🇹🇼  
LANYARD HOLE: ✓

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: ITALY 🇮🇹



CAT  
C129GP CAT

CHICAGO  
C130GP CHICAGO

SQUEAK  
C154PBK SQUEAK SLIPIT

SKU	CLOSED	OVERALL	BLADE	EDGE	STEEL	WEIGHT
C129GP	3 9/16" 90MM	5 15/16" 151MM	2 7/16" 62MM	2 1/8" 54MM	440C	2.5 OZ 71G
C130GP	3 1/8" 79MM	5 1/32" 128MM	2" 51MM	1 3/4" 44MM	440C	2.2 OZ 62G
C154PBK	3 1/8" 79MM	5 1/32" 128MM	2" 51MM	1 3/4" 44MM	N690CO	1.6 OZ 46G



## C150GP JUNIOR

Romanian Technical Manager Alexandru Donescu's young son entered the curious-boy-years and started asking for his first pocketknife. His request motivated Donescu to create a folder with a prominent handle-guard. The guard parks the hand firmly in control over the blade by effectively blocking fingers from sliding forward onto the blade's sharp edge. The guard's position on the G-10 handle leaves limited room for a locking mechanism so a Spyderco Compression Lock was added for its compact components and impressive strength. Flat-ground VG-10 blade has non-skid spine jimping.

**JUNIOR**  
C150GP JUNIOR

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: JAPAN 🇯🇵  
LANYARD HOLE: ✓

**CHAPARRAL**  
C152CFP CHAPARRAL

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: TAIWAN 🇹🇼  
LANYARD HOLE: ✓

## DRAGONFLY2 SALT

1. C28SYL2 DRAGONFLY2 SALT SPYDEREDGE
2. C28PYL2 DRAGONFLY2 SALT PLAINEDGE

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: JAPAN 🇯🇵  
LANYARD HOLE: ✓

**BYRD TERN**  
BY23GP BYRD TERN SLIPIT

HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP ▲  
COUNTRY OF ORIGIN: CHINA 🇨🇳

**byrd knife**

## C28YL DRAGONFLY2 SALT

H-1 folders and fixed blades collectively make up the Spyderco Salt Series. H-1 blade alloy is nitrogen-base and contains almost no carbon. The lack of significant carbon renders the blade one-hundred percent rust-proof. H-1 is a hard alloy easily sharpened to a finely-honed cutting edge with exceptional retention properties. The new Dragonfly2 Salt's blade-to-handle geometry and leveraging points ergonomically fit multiple-sized hands. Marine Yellow FRN (fiberglass reinforced nylon) handle is Bi-Directionally Textured™.

**byrd knife**

## C152CFP CHAPARRAL

Chaparral is a shrub native to the Western United States with the unique ability to perennially survive, revive and regenerate after being destroyed by drought or fire. It returns year after year and is what Spyderco named a new and continuing series of gentlemen's folders. Mid-sized Chaparral folders will have identical blade and handle profiles but showcase variant handle materials. Possibly Spyderco's thinnest, lightest mid-sized CLIPIT yet. The debut Chaparral will have a carbon-fiber handle, mid-positioned back lock and screw-together construction. CPM-S30V leaf-shaped blade is ground full-flat with non-skid jimping located at both the spine and choil.

## BY23GP BYRD TERN

The non-locking Tern folder's blade is held in the open position during cutting by a notched-joint at the knife's pivot. When closing the blade, the notch produces resistance functionally similar to a traditional slip-joint penknife. A deep finger choil jogs the index finger into position on the bottom of the blade directly under the thumb. Placing the index finger in the choil, the finger acts as a stop, inhibiting the blade from closing when cutting and allows the user to choke-up closer to the cutting edge with comfort and dexterity. Leaf-shape blade is full flat-ground. The handle is G-10.

SKU	CLOSED	OVERALL	BLADE	EDGE	STEEL	WEIGHT
C150GP	4 1/8" 105MM	7 1/4" 184MM	3 7/32" 82MM	3 1/8" 79MM	VG-10	2.8 OZ 80G
C152CFP	3 5/8" 92MM	6 3/8" 162MM	2 13/16" 71MM	2 9/32" 58MM	CPM-S30V	2.5 OZ 70G
C28YL	3 5/16" 84MM	5 9/16" 141MM	2 1/4" 57MM	1 7/8" 48MM	H-1	1.2 OZ 34G
BY23GP	3 5/8" 92MM	6 3/8" 162MM	2 3/4" 70MM	2 1/8" 54MM	8CR13MOV	1.7 OZ 48G



## C155TIP CENTOFANTE MEMORY

Frank Centofante was a respected knifemaker for forty-years, the president of the American Knifemaker's Guild, he passed away in 2009. Frank was a key contributor in educating Spyderco's manufacturing team, teaching us how to recognize, appreciate and build quality knives. He often said, "If you can't see the difference...you can't build the difference." In his honor, the Memory shines with a blued titanium handle with a silver-colored woven-glass fiber front scale. Tucked inside is a Michael Walker LinerLock, outside a VG-10 flat-ground classic spear-pointed blade with an embellished Spyderco bug. Packaged in a black zippered pouch.

HAND ORIENTATION: **RIGHT ONLY**  
TIP CARRY POSITION: **DOWN** ▼  
COUNTRY OF ORIGIN: **JAPAN** 🇯🇵

**CENTOFANTE MEMORY**  
C155TIP CENTOFANTE MEMORY

## C149GP VALLOTTON SUB-HILT FOLDER

Butch Vallotton started making knives as a hobby, had to start selling knives to pay for his hobby and before he was aware of it became a professional fulltime knifemaker with a customer waiting list. He invented the ambidextrous blade thumb-stud on the Vallotton Sub-Hilt Folder. The thumb stud opens the blade (in addition to the Spyderco Round Hole) and doubles as a stop pin, stopping the blade from over-rotating open beyond the locked position. The modified coffin-shaped handle is polished black G-10 with fitted stainless bolsters and a Michael Walker LinerLock®.

Hollow-ground blade with a convex-ground tip.

HAND ORIENTATION: **LEFT/RIGHT**  
TIP CARRY POSITION: **UP/DOWN** ▲▼  
COUNTRY OF ORIGIN: **TAIWAN** 🇹🇼  
LANYARD HOLE: ✓

**VALLOTTON SUB-HILT FOLDER**  
C149GP VALLOTTON SUB-HILT FOLDER

## C153GP DES HORN

Knifemakers practice their craft on every continent and in every country on the planet. In Cape Town, South Africa there is Des Horn. A career dentist, Des gained international acclaim as a knifemaker in the 1960s. His debut collaboration intertwines elements of both a Spear-Point and Wharncliffe blade shape, tapering to a super-fine, flat-ground tip. Corrugated furrows machined onto the CPM-S30V blade artistically sweep from the blade to the adjoining black G-10 handle. The handle tapers in a mirrored profile to the blade to create a sleek, spike-like profile and it has a Michael Walker Liner Lock and adjustable pivot and scale screws.

HAND ORIENTATION: **RIGHT ONLY**  
TIP CARRY POSITION: **DOWN** ▼  
COUNTRY OF ORIGIN: **TAIWAN** 🇹🇼

**DES HORN**  
C153GP DES HORN FOLDER

SKU	CLOSED	OVERALL	BLADE	EDGE	STEEL	WEIGHT
C155TIP	4 1/16" 103MM	7 1/16" 179MM	3" 76MM	2 15/16" 75MM	VG-10	3.3 OZ 94G
C149GP	5" 127MM	8 11/16" 221MM	3 3/4" 95MM	3 9/16" 90MM	CPM-S30V	6.2 OZ 176G
C153GP	4 1/8" 105MM	7 1/4" 184MM	3 1/8" 79MM	3 1/16" 78MM	CPM-S30V	2 OZ 56G





# C157GTIP LIONSPLY

Lion Steel Knives of Maniago, Italy represents three generations of knife manufacturing by the Pauletta family. The Spyderco/Lion Steel collaboration uses Bohler-Uddeholm Elmax blade steel for high edge retention and low maintenance. The blade is hollow-ground with a drop-point shape. The two-piece handle is a black G-10 front scale and a titanium back scale. Both scales are corrugated for enhanced grip and constructed with an adjustable pivot and scale screws. Its Chris Reeve Integral Lock is augmented with a Roto-Block, a pivoting locking mechanism that functions as a back-up lock (doubly locking the knife blade open in addition to integral liner), while also inhibiting the lock's liner from overextending.

HAND ORIENTATION: RIGHT ONLY  
TIP CARRY POSITION: UP  
COUNTRY OF ORIGIN: ITALY

# C85GP2 YOJIMB02

Designed by noted personal-defense trainer Michael Janich, the Yojimbo2 is a pioneer in the application of the Wharncliffe blades. Refined ergonomics complement the natural contours of the hand, ensuring maximum surface contact and positive control. They also encourage a thumb-forward grip and make the blade a natural extension of the hand. The straight cutting edge offers extreme cutting performance by transferring power all the way to the tip and ensures improved point strength. The handle has nested stainless steel liners and a Compression Lock.

CARRY: MULTI-POSTION SHEATH  
COUNTRY OF ORIGIN: JAPAN  
LANYARD HOLE: ✓

# FB20PBK ED SCHEMP ROCK

You don't often see six-inch-plus large fixed blades carried openly, but there are times when a big blade is the best (or only) tool suited for the job at hand. The Schempp Rock is user responsive in any-sized hand for outdoor chores like clearing brush, chopping and camp cutting. The VG-10 steel blade has a curved wrist-to-tip angle that is full-tang with a flat-grind and weight-reducing spine swedge. A skeletonized tang balances the handle-to-blade weight ratio. Injection molded FRN (fiberglass reinforced nylon) handle scales are Bi-Directionally Textured™ providing a solid grip while cutting forward or backward. Multi-position Boltaron sheath with G-Clip.

LIONSPLY  
C157GTIP LIONSPLY

ED SCHEMP ROCK  
FB20FPBK SCHEMP ROCK



HAND ORIENTATION: LEFT/RIGHT  
TIP CARRY POSITION: UP  
COUNTRY OF ORIGIN: USA

YOJIMB02  
C85GP2 YOJIMB02  
PLAINEDGE

SKU	CLOSED	OVERALL	BLADE	EDGE	STEEL	WEIGHT
C157GTIP	4 5/8" 117MM	8 7/16" 214MM	3 5/8" 92MM	3 9/16" 90MM	ELMAX	5.9 OZ 168G
C85GP	4 1/2" 114MM	7 9/16" 192MM	3 1/8" 79MM	2 15/16" 75MM	CPM-S30V	4.0 OZ 113G
FB20PBK	N/A	12 1/4" 311MM	6 3/4" 171MM	6" 152MM	VG-10	9.1 OZ 257G